



8-Bay 19" Power Chassis **PPS800**



The PPS800, an 8-bay 19" power chassis, is designed specifically to station for high power PoE Injectors with input 100-240VAC and output 24VDC. With plug & play features for easy installation, each bay of PPS800 can be plugged in for one high power PoE injector such as PI300 to supply high power for remote applications.

PI-300 is a high-power PoE injector which provides power supply over Ethernet cable to the remote IEEE 802.3af compliant power device and supports either with 802.3af IEEE PoE or PoE midspan. Its maximal power output is 50W which can power up most PoE-ready devices such as wifi AP, IP cam with PTZ functions.

Building a large PoE network from a central location has never been easier. To support centralized management for all PoE devices, PPS-800 can meet the goal and operate smoothly for PoE system expansion with plug & play features.



Features

- Accommodate up to 8 bays for high-power PoE-PSE PI300
- Standard compact 19" chassis for space saving
- Plug & play features for easy system expansions
- Two DC electric fans for thermal ventilation
- 250V 2A Fuse Protection

Packing Contents

Inside the package carton you should find:

- (1) One PPS800 19" Chassis
- (2) One AC Power Cord
- (3) One User Manual

Technical Specifications

Input Voltage:

100-240VAC 50/60Hz

Fuse:

250V 2A socket embedded

Plug Output Voltage:

24VDC / 5.2A x 4

DC Fans:

24VDC

Dimensions:

483mm(L) x 153mm(H) x 120mm(D)

Net Weight:

3.1Kg without PI300

7.5Kg with 8 x PI300



Connection Diagrams

